

MG 3500 - Tin 12

3.5kVA Tin 12 Petrol Generator

When looking for robust, reliable, good quality 3.5kVA Tin 12 petrol generator, look no further than our MG 3500 - Tin 12. Fusion models are designed to suit Tin 12 gas and water applications for butt + electro boxes - 110V CTE.

Optional



3.5kVA (110V) AC Aux Power

NSM alternator

Honda petrol engine (Stage 5)

Strong wrap-around frame

Only 39kg

Features Benefits

Plenty of power to run small gas and water applications

Heavy duty and proven reliability and extra smooth wave form

Featuring low oil level shutdown

Great protection in tough environments

Lightweight design



Specification

Performance

Alternator	NSM K100D
Single Phase Power (110V)	3.5kVA/ 2.8kW
Single Phase Power (230V)	N/A

Noise Level	LWA=96	dBa@7m=71
Insulation Class		Н
Mechanical Protection - IP		23

Engine	
Make	Honda
Туре	GX200 (Stage 5)
Fuel	Petrol
Number of Cylinders	1
Power (HP)	6.5
Engine Speed (RPM)	3000

Cooling	Air
Fuel Consumption @ 75% Load (Litres/hou	ır) 1.2
Fuel Tank Capacity (Litres)	3.1
Average Runtime @ 75% Load (Hours)	2.5
CO2 Output Per Hour @ 75% Load	2.88kg
Starting System	Recoil

Dimensions (Machine only)

Length: 610 mm	Width: 420 mm	Height: 415 mm
Dry Weight (No Fuel): 39 kg		Wet Weight (Fuel Full): 42 kg

Cocket Configuration	1ph (110V)	
Socket Configuration	32A	16A
MG 3500 – Tin 12	1	2

For more details call MHM TODAY

on **0808 168 9099**

Email sales@mhmplant.com or visit us at www.mhmplant.com











